



DESCRIPTION	PKG CODE	MAXIM PKG OUTLINE NO	MAXIM TAPE CARRIER NO.	Ao Cavity Length (mm) +/-0.1	Bo Cavity Width (mm) +/-0.1	Ko Cavity Depth (mm) +/-0.1	K1 Raised Cavity Depth (mm) +/-0.1	W Tape Width (mm) +/-0.3	Po Sprocket Cen-to-Cen (mm) +/-0.1	P1 Pocket Cen-to-Cen (mm) +/-0.1	P2 Sprocket Cen-to-Pocket Cen X-X (mm) +/-0.1	F Sprocket Cen-to-Pocket Cen Y-Y (mm) +/-0.1	D Sprocket Hole Dia. (mm) +/-0.05	QTY Per REEL	REEL SIZE (inch)
CSBGA, 100L 9x9x1.4mm	X100-1	21-0153	24-0802	9.30	9.30	2.10	-	16.00	4.00	12.00	2.00	7.50	1.55		13
DDPAK 3L	H263	21-0131													
DDPAK 5L	H265	21-0132	24-0776	10.45	15.90	5.05	-	24.00	4.00	16.00	2.00	11.50	1.55		13
DDPAK 7L	H267	21-0133	24-0776	10.45	15.90	5.05	-	24.00	4.00	16.00	2.00	11.50	1.55		13
DFN THIN 6L 3x3x0.8mm	T633	21-0137	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
DFN THIN 8L 3x3x0.8mm	T833	21-0137	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
DFN THIN 10L 3x3x0.8mm	T1033	21-0137	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
LGA 48L 7x7x1.4 mm	L4877F-1	21-0152	24-0827	7.30	7.30	1.90	1.60	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
MQFP 44L 10x10x2 mm	M44	21-0826	24-0829	14.00	14.00	3.00	2.20	24.00	4.00	24.00	2.00	11.50	1.55	500	13
MQFP 100L 14x20x2.71 mm	M100	21-7003													
MQUAD 160L 28x28x3.50mm W/EXP. HEAT SPREADER, INVERTED	Z160-4R	21-0150													
PLCC/TEQ 20L .453" SQ	Q20	21-0049	24-0832	10.35	10.35	4.90	4.20	16.00	4.00	12.00	2.00	7.50	1.55	1000	13
PLCC/TEQ 28L .453" SQ	Q28	21-0049	24-0833	13.00	13.00	4.90	3.80	24.00	4.00	16.00	2.00	11.50	1.55	500	13
PLCC/TEQ 44L .653" SQ	Q44	21-0049	24-0834	18.00	18.00	5.00	4.20	32.00	4.00	24.00	2.00	14.20	1.55	500	13
PLCC/TEQ 68L .954" SQ	Q68	21-0049	24-0835	25.60	25.60	5.70	4.20	44.00	4.00	32.00	2.00	20.20	1.55	250	13
QFN 12L 3x3x0.9mm	G1233	21-0102	24-0822	3.30	3.30	1.10	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 16L 3x3x0.9mm	G1633	21-0102	24-0822	3.30	3.30	1.10	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 12L 4x4x0.9mm	G1244	21-0106	24-0823	4.30	4.30	1.10	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 16L 4x4x0.9mm	G1644	21-0106	24-0823	4.30	4.30	1.10	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 20L 4x4x0.9mm	G2044	21-0106	24-0823	4.30	4.30	1.10	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 24L 4x4x0.9mm	G2444	21-0106	24-0823	4.30	4.30	1.10	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 16L 5x5x0.9mm	G1655	21-0091	24-0824	5.30	5.30	1.30	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 20L 5x5x0.9mm	G2055	21-0091	24-0824	5.30	5.30	1.30	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 28L 5x5x0.9mm	G2855	21-0091	24-0824	5.30	5.30	1.30	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 32L 5x5x0.9mm	G3255	21-0091	24-0824	5.30	5.30	1.30	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN 36L 6x6x0.9mm	G3666	21-0105	24-0825	6.30	6.30	1.32	-	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN 40L 6x6x0.9mm	G4066	21-0105	24-0825	6.30	6.30	1.32	-	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN 32L 7x7x0.9mm	G3277	21-0092	24-0828	7.20	7.20	1.50	1.10	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN 44L 7x7x0.9mm	G4477	21-0092	24-0828	7.20	7.20	1.50	1.10	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN 48L 7x7x0.9mm	G4877	21-0092	24-0828	7.20	7.20	1.50	1.10	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN 68L 10x10x0.9mm	G6800	21-0122	24-0775	10.35	10.35	1.05	-	24.00	4.00	16.00	2.00	7.50	1.55	1000	13
QFN THIN 12L 3x3x0.8mm	T1233	21-0136	24-0769	3.30	3.30	1.00	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 16L 3x3x0.8mm	T1633	21-0136	24-0769	3.30	3.30	1.00	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 12L 4x4x0.8mm	T1244	21-0139	24-0770	4.30	4.30	1.30	1.00	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 16L 4x4x0.8mm	T1644	21-0139	24-0770	4.30	4.30	1.30	1.00	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 20L 4x4x0.8mm	T2044	21-0139	24-0770	4.30	4.30	1.30	1.00	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 24L 4x4x0.8mm	T2444	21-0139	24-0770	4.30	4.30	1.30	1.00	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 16L 5x5x0.8mm	T1655	21-0140	24-0771	5.30	5.30	1.30	1.00	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 20L 5x5x0.8mm	T2055	21-0140	24-0771	5.30	5.30	1.30	1.00	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 28L 5x5x0.8mm	T2855	21-0140	24-0771	5.30	5.30	1.30	1.00	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 32L 5x5x0.8mm	T3255	21-0140	24-0771	5.30	5.30	1.30	1.00	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QFN THIN 36L 6x6x0.8mm	T3666	21-0141	24-0772	6.30	6.30	1.30	1.00	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN THIN 40L 6x6x0.8mm	T4066	21-0141	24-0772	6.30	6.30	1.30	1.00	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN THIN 48L 6x6x0.8mm	T4886	21-0149	24-0772	6.30	6.30	1.05	-	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN THIN 32L 7x7x0.8mm	T3277	21-0144	24-0773	7.30	7.30	1.30	1.00	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN THIN 44L 7x7x0.8mm	T4477	21-0144	24-0773	7.30	7.30	1.30	1.00	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN THIN 48L 7x7x0.8mm	T4877	21-0144	24-0773	7.30	7.30	1.30	1.00	16.00	4.00	12.00	2.00	7.50	1.55	2500	13

DESCRIPTION	PKG CODE	MAXIM PKG OUTLINE NO	MAXIM TAPE CARRIER NO.	Ao Cavity Length (mm) +/-0.1	Bo Cavity Width (mm) +/-0.1	Ko Cavity Depth (mm) +/-0.1	K1 Raised Cavity Depth (mm) +/-0.1	W Tape Width (mm) +/-0.3	Po Sprocket Cen-to-Cen (mm) +/-0.1	P1 Pocket Cen-to-Cen (mm) +/-0.1	P2 Sprocket Cen-to-Pocket Cen X-X (mm) +/-0.1	F Sprocket Cen-to-Pocket Cen Y-Y (mm) +/-0.1	D Sprocket Hole Dia. (mm) +/-0.05	QTY Per REEL	REEL SIZE (inch)
QFN THIN 56L 8x8x0.8mm	T5688	21-0135	24-0774	8.35	8.35	1.05	-	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
QFN THIN 68L 10x10x0.8mm	T6800	21-0142	24-0775	10.35	10.35	1.05	-	24.00	4.00	16.00	2.00	11.50	1.55	2500	13
QSOP 16L .150"	E16	21-0055	24-0809	6.55	5.35	2.10	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
QSOP 20L .150"	E20	21-0055	24-0811	6.55	9.05	2.10	-	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
QSOP 24L .150"	E24	21-0055	24-0811	6.55	9.05	2.10	-	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
QSOP 28L .150"	E28	21-0055	24-0810	6.55	10.30	2.10	-	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
SBGA 13x13mm	H80	21-0125													
SBGA 17x17mm	H88	21-0126													
SBGA 25x25mm	H192	21-0073													
SC70 3L	X3	21-0075	24-0845	2.40	2.40	1.19	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
SC70 4L	X4	21-0098	24-0846	2.40	2.40	1.20	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
SC70 5L	X5	21-0076	24-0846	2.40	2.40	1.20	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
SC70 6L	X6	21-0077	24-0846	2.40	2.40	1.20	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
SOIC (N) 8L .150"	S8	21-0041	24-0809	6.55	5.35	2.10	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
SOIC (N) 14L .150"	S14	21-0041	24-0811	6.55	9.05	2.10	-	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
SOIC (N) 16L .150"	S16	21-0041	24-0810	6.50	10.30	2.10	-	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
SOIC (W) 16L .300"	W16	21-0042	24-0812	10.90	10.78	3.00	-	16.00	4.00	12.00	2.00	7.50	1.55	1000	13
SOIC (W) 18L .300"	W18	21-0042	24-0812	11.10	12.00	2.80	-	24.00	4.00	16.00	2.00	11.50	1.55	1000	13
SOIC (W) 20L .300"	W20	21-0042	24-0812	10.90	13.30	3.00	-	24.00	4.00	12.00	2.00	11.50	1.55	1000	13
SOIC (W) 24L .300"	W24	21-0042	24-0812	10.90	15.82	3.00	-	24.00	4.00	12.00	2.00	11.50	1.55	1000	13
SOIC (W) 28L .300"	W28	21-0042	24-0812	10.90	18.30	3.00	-	24.00	4.00	12.00	2.00	11.50	1.55	1000	13
SOT23, 3L	U3	21-0051	24-0842	3.15	2.77	1.22	-	8.00	4.00	4.00	2.00	3.50	1.55	2500*	7*
SOT143, 4L	U4	21-0052	24-0843	3.10	2.69	1.30	-	8.00	4.00	4.00	2.00	3.50	1.55	2500*	7*
SOT23, 5L	U5	21-0057	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500*	7*
SOT23 6L	U6	21-0058	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500*	7*
SOT23 8L	K8	21-0078	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500*	7*
SSOP 14L .209" 5.3 X .65MM	A14	21-0056	24-0818	8.20	6.60	2.50	2.10	16.00	4.00	12.00	2.00	7.50	1.55	2000	13
SSOP 16L .209" 5.3 X .65MM	A16	21-0056	24-0818	8.20	6.60	2.50	2.10	16.00	4.00	12.00	2.00	7.50	1.55	2000	13
SSOP 20L .209" 5.3 X .65MM	A20	21-0056	24-0819	8.20	7.50	2.50	2.10	16.00	4.00	12.00	2.00	7.50	1.55	2000	13
SSOP 24L .209" 5.3 X .65MM	A24	21-0056	24-0820	8.20	8.80	2.50	2.10	16.00	4.00	12.00	2.00	7.50	1.55	2000	13
SSOP 28L .209" 5.3 X .65MM	A28	21-0056	24-0821	8.20	10.60	2.50	2.10	16.00	4.00	12.00	2.00	7.50	1.55	2000	13
SSOP 36L .300" 0.8 MM PITCH	A36	21-0040		10.80	15.90	3.20	2.80	24.00	4.00	12.00	2.00	11.50	1.50	1000	13
T2BGA	H192T-2														
THIN SOT, 5L	Z5	21-0113	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
THIN SOT, 6L	Z6	21-0114	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
THIN SOT, 8L	Z8	21-0154	24-0844	3.23	3.18	1.37	-	8.00	4.00	4.00	2.00	3.50	1.55	2500	7
TQFP 32L 5x5x1.0 mm	H32	21-0110	24-0836	7.20	7.20	1.50	1.10	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
TQFP 32/48L 7x7x1.0 mm	C32/C48	21-0065	24-0837	9.60	9.60	1.85	1.25	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
TQFP 32L/48L 7x7x1.4 mm	C32/C48	21-0054	24-0838	9.60	9.60	2.20	1.60	16.00	4.00	12.00	2.00	7.50	1.55	2500	13
TQFP 10x10x1.0 mm	C52	21-0146						24.00							
TQFP 10x10x1.4 mm	C64	21-0083	24-0839	12.35	12.35	2.05	-	24.00	4.00	16.00	2.00	11.50	1.55		
TQFP 10x10x1.0 mm	C64E-4R	21-0084						24.00							
TQFP 12x12x1 mm	C80	21-0072						24.00							
TQFP 14x14x1 mm	C100	21-0085	24-0831	17.00	17.00	1.50	1.10	24.00	4.00	20.00	2.00	11.50	1.55		
TQFP 14x20x1.4 mm	C128	21-0086													
TQFP 20x20x1 mm	C144	21-0087													
TSSOP 14L 4.4mm	U14	21-0066	24-0814A	6.80	5.40	1.60	1.30	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
TSSOP 16L 4.4mm	U16	21-0066	24-0814A	6.80	5.40	1.60	1.30	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
TSSOP 20L 4.4mm	U20	21-0066	24-0815A	6.95	7.10	1.60	1.20	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
TSSOP 24L 4.4mm	U24	21-0066	24-0816A	6.95	8.30	1.60	1.20	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
TSSOP 28L 4.4mm	U28	21-0066	24-0817A	6.80	10.20	1.60	1.20	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
TSSOP 38L 4.4mm	U38	21-0081	24-0817A	6.80	10.20	1.60	1.20	16.00	4.00	8.00	2.00	7.50	1.55	2500	13
TSSOP 48L 6.1mm	U48	21-0155	24-0803	8.35	12.80	1.60	1.20	24.00	4.00	12.00	2.00	11.50	1.55		
UCSP 2x2, BODY SIZE 1	B4-1	21-0117	24-0804	1.12	1.12	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 2x2, BODY SIZE 2	B4-2	21-0117	24-0804	1.12	1.12	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 2x2, BODY SIZE 3	B4-3	21-0117	24-0745	1.19	1.19	0.86	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 2x2, BODY SIZE 4	B4-4	21-0117	24-0804	1.12	1.12	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x2, BODY SIZE 1	B6-1	21-0097	24-0746	1.17	1.67	0.73	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x2, BODY SIZE 1, DEPOPULATED B2	B6-2	21-0097	24-0746	1.17	1.67	0.73	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x2, BODY SIZE 2	B6-3	21-0097	24-0746	1.17	1.67	0.73	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x2, BODY SIZE 2, DEPOPULATED B2	B6-4	21-0097	24-0746	1.17	1.67	0.73	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x2, BODY SIZE 3	B6-5	21-0097	24-0746	1.17	1.67	0.73	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x2, BODY SIZE 4	B6-6	21-0097	24-0808	1.24	1.63	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x2	B8-1	21-0156	NEED TAPE										1.50	2500	7
UCSP 3x3	B9-1	21-0093	24-0747	1.65	1.65	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7

DESCRIPTION	PKG CODE	MAXIM PKG OUTLINE NO	MAXIM TAPE CARRIER NO.	Ao Cavity Length (mm) +/-0.1	Bo Cavity Width (mm) +/-0.1	Ko Cavity Depth (mm) +/-0.1	K1 Raised Cavity Depth (mm) +/-0.1	W Tape Width (mm) +/-0.3	Po Sprocket Cen-to-Cen (mm) +/-0.1	P1 Pocket Cen-to-Cen (mm) +/-0.1	P2 Sprocket Cen-to-Pocket Cen X-X (mm) +/-0.1	F Sprocket Cen-to-Pocket Cen Y-Y (mm) +/-0.1	D Sprocket Hole Dia. (mm) +/-0.05	QTY Per REEL	REEL SIZE (inch)
UCSP 3x3	B9-2	21-0093	24-0747	1.65	1.65	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x3	B9-3	21-0093	24-0747	1.65	1.65	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x3	B9-4	21-0093	24-0747	1.65	1.65	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x3	B9-5	21-0093	24-0747	1.65	1.65	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 3x3	B9-6	21-0093	24-0747	1.65	1.65	0.71	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-1	21-0104	24-0748	1.57	2.29	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-2	21-0104	24-0748	1.57	2.29	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-3	21-0104	24-0748	1.57	2.29	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-4	21-0104	24-0748	1.57	2.29	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-5	21-0104	24-0749	2.12	2.30	0.79	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-6	21-0104	24-0749	2.12	2.30	0.79	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-7	21-0104	24-0748	1.57	2.29	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-8	21-0104	24-0748	1.57	2.29	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-9	21-0104	24-0748	1.57	2.29	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-10	21-0104	24-0748	1.57	2.29	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-11	21-0104	NEED TAPE					8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x3	B12-12	21-0104	NEED TAPE					8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x4	B16-1	21-0101	24-0750	2.12	2.30	0.79	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x4	B16-2	21-0101	24-0750	2.12	2.30	0.79	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x4	B16-3	21-0101	24-0750	2.12	2.30	0.79	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x4	B16-4	21-0101	24-0750	2.12	2.30	0.79	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 4x4	B16-5	21-0101	NEED 24#	2.30	2.26	0.73	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 5x4	B20-1	21-0095	24-0751	2.34	2.79	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 5x4	B20-2	21-0095	24-0751	2.34	2.79	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 5x4	B20-3	21-0127	24-0751	2.34	2.79	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 5x4	B20-5	21-0095	24-0751	2.34	2.79	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 5x4	B20-6	21-0095	24-0751	2.34	2.79	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 5x5	B25-1	21-0096	24-0752	2.79	2.92	0.76	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 5x5	B25-2	21-0096	24-0752	2.79	2.92	0.76	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 5x5	B25-3	21-0096	24-0752	2.79	2.92	0.76	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 5x5	B25-4	21-0096	24-0752	2.79	2.92	0.76	-	8.00	4.00	4.00	2.00	3.50	1.50	2500	7
UCSP 6x5	B30-1	21-0123	24-0754	2.79	3.56	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 6x5	B30-2	21-0123	24-0754	2.79	3.56	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 6x5	B30-3	21-0123	24-0754	2.79	3.56	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 6x5	B30-4	21-0123	24-0754	2.79	3.56	0.91	-	12.00	4.00	4.00	2.00	5.50	1.50	2500	7
UCSP 6x6	B36-1	21-0082	24-0755	3.35	3.15	0.76	-	12.00	4.00	8.00	2.00	5.50	1.50	2500	7
UCSP 6x6	B36-2	21-0082	24-0755	3.35	3.15	0.76	-	12.00	4.00	8.00	2.00	5.50	1.50	2500	7
UCSP 6x6	B36-3	21-0082	24-0755	3.35	3.15	0.76	-	12.00	4.00	8.00	2.00	5.50	1.50	2500	7
UDFN 6L 1.5x1x0.8mm	L611	21-0147	24-0813	1.12	1.70	0.91	-	8.00	4.00	4.00	2.00	3.50	1.50		
UMAX/MSOP 8L	U8	21-0036	24-0830	5.30	3.40	1.40	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13
UMAX/MSOP 10L	U10	21-0061	24-0830	5.30	3.40	1.40	-	12.00	4.00	8.00	2.00	5.50	1.55	2500	13