



MATERIAL SAFETY DATA SHEET

COPPER & BRASS SALES -- PMC90(CDA19210) STRIP

MATERIAL SAFETY DATA SHEET

Part Number/Trade Name: PMC90(CDA19210) STRIP

=====
=====

General Information

=====
=====

Item Name: PMC90(CDA19210) STRIP

Company's Name: [POONGSAN CORPORATION](#)

Company's Street: 611 DAEJUNG-RI ONSAN-UP ULJU-KUN

Company's City: ULSAN

Company's Country: SOUTH KOREA

Company's Zip Code: 689-890

Company's Emerg Ph #: 81-52-231-9165

Company's Info Ph #: 81-52-231-9400

=====
=====

Ingredients/Identity Information

=====
=====

Proprietary: NO

Ingredient: COPPER (DUST & MIST)

Ingredient Sequence Number: 01

Percent: 99.81-99.96

NIOSH (RTECS) Number: GL5325000

CAS Number: 7440-50-8

OSHA PEL: 0.1 MG(CU)/M3 (FUME)

ACGIH TLV: 0.2 MG/M3 (FUME)

Other Recommended Limit: 1 MG(CU)/M3 (DUST)

=====
=====

Proprietary: NO
Ingredient: Ferrous
Ingredient Sequence Number: 02
Percent: 0.015-0.15
NIOSH (RTECS) Number: NO4565500
CAS Number: 7439-89-6
OSHA PEL: 10 MG/M3 (FUME)
ACGIH TLV: 5 MG/ M3 (FUME)

=====
=====

Proprietary: NO
Ingredient: PHOSPHORUS (YELLOW % WHITE)
Ingredient Sequence Number: 03
Percent: 0.025-0.04
NIOSH (RTECS) Number: TH3500000
CAS Number: 7723-14-0

OSHA PEL: 0.1 MG/CUM
ACGIH TLV: 0.1 MG/CUM

=====
=====

Physical/Chemical Characteristics

=====
=====

Appearance And Odor: SILVER / YELLOW TO RED COLOR SOLID W/NO ODOR.
Melting Point: 1620-2260F
Specific Gravity: 8.94
Solubility In Water: INSOLUBLE

=====
=====

Fire and Explosion Hazard Data

=====
=====

Extinguishing Media: USE SPECIAL MIXTURES OF DRY CHEMICAL/SAND.

Special Fire Fighting Proc: WEAR NIOSH/MSHA SCBA & PROTECTIVE CLOTHING.

Unusual Fire And Expl Hazrds: SOLID MASSIVE FORM ISN'T COMBUSTIBLE. MOLTEN METAL MAY REACT VIOLENTLY W/WATER.

=====
=====

Reactivity Data

=====
=====

Stability: YES

Cond To Avoid (Stability): WATER, HEAT, FLAMES, CHEMICAL REACTIONS.

Materials To Avoid: OXIDIZERS, ACIDS, BASES

Hazardous Decomp Products: METAL FUME.

Hazardous Poly Occur: NO

=====
=====

Health Hazard Data

=====
=====

Route Of Entry - Inhalation: YES

Route Of Entry - Skin: YES

Route Of Entry - Ingestion: YES

Health Haz Acute And Chronic: COPPER-INHALATION: FUMES MAY CAUSE METAL FUME FEVER. SKIN: DERMATITIS, KERATINIZATION OF THE HANDS & THE SOLES OF

THE FEET. COPPER DUST & FUME CAUSES IRRITATION OF THE UPPER RESPIRATORY TRACT.

Carcinogenicity - NTP: NO

Carcinogenicity - IARC: NO

Carcinogenicity - OSHA: NO

Explanation Carcinogenicity: NONE

Signs/Symptoms Of Overexp: COPPER-FLU-LIKE SYMPTOMS, SKIN & HAIR DISCOLORATION, METALLIC TASTE IN THE MOUTH, NAUSEA.

Emergency/First Aid Proc: EYES: FLUSH W/RUNNING WATER. SKIN: VACUUM OFF

EXCESS DUST. WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR.
OBTAIN
MEDICAL ATTENTION IN ALL CASES.

=====
=====

Precautions for Safe Handling and Use

=====
=====

Steps If Matl Released/Spill: LARGE: REMOVE BY VACUUMING/WET SWEEPING TO PREVENT HEAVY CONCENTRATION OF AIRBORNE DUST. IF LIQUIDS CONTAINING SOLUBILIZED METAL ARE SPILLED EVACUATE AREA. ABSORB BY MEANS OF VERMICULITE, DRY SAND/SIMILAR MATERIAL. (SEE SUPP)

Waste Disposal Method: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Precautions-Handling/Storing: STORE AWAY FROM INCOMPATIBLE MATERIALS & KEEP DUST FROM IGNITION SOURCES.

=====
=====

Control Measures

=====
=====

Respiratory Protection: IF EXPOSURE ABOVE THE PEL/TLV, WEAR NIOSH/MSHA APPROVED RESPIRATOR.

Ventilation: LOCAL EXHAUST VENTILATION.

Protective Gloves: REQUIRED

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment: FACE SHIELDS, SPECIALLY TINTED GLASS.

Suppl. Safety & Health Data: SPILLS CONT'D: CLEANUP PERSONNEL SHOULD WEAR RESPIRATORS & PROTECTIVE CLOTHING. VENTILATE AREA.

=====
=====

Transportation Data

=====
=====

=====
=====

Disposal Data

=====

=====

Person in charge : S.Y.KANG

Tel : 82-52-239-9383

Fax : 82-52-239-9400