

Material Safety data Sheet

Product name : Ag leadframe

Date prepared : Dec 19, 2007

1. Product Identification

Product name	Ag plating leadframe (A194)
Chemical family	Metal leadframe
Manufacturer	ASM Assembly Materials Ltd. 4/F, Waston Centre, 16 Kung Yip St., Kwai Chung, Hong Kong. Phone: (852) 2619 4562
Emergency assistance	Edeward Development Limited 2108 Prime Street corner Enterprise St, Ayaia Alabang - Muntinlupa City, Philippines Phone: 632-850-4543/809-3917/771-1544

2. Composition / Information of ingredients (% by weight)

Constituent	A194
Cu	BAL
Fe	2.1-2.6
Co	-
Si	-
Mn	-
Ni	-
Zr	-
Sn	-
P	0.015-0.15
Zn	0.05-0.20
C	-
S	-
Mg	-
Al	-
Cr	-
Pb	0.01MAX

3. Physical properties

Material Safety data Sheet

Product name : Ag leadframe

Date prepared :Dec 19, 2007

Freezing point	Not applicable
Vapor pressure (mmHg)	Not applicable
Melting point / Boiling point	Not applicable
Solubility in water	Insoluble in water
Vapor density (Air=1)	Not applicable
Evaporation rate	Not applicable
Appearance	Solid
Odor	No odor

4. Fire, explosion, stability and reactivity information

Flash point	None
Flammable limits	None (LFL: not applicable, UFL: not applicable)
Extinguishing media	Leadframe is noncombustible. Use extinguishing media appropriate to the surrounding fire
Chemical stability (conditions to avoid)	Leadframe is a stable material
Incompatibility (Materials to avoid)	Strong Acid (hydrogen gas evolved if contact)

5. Health hazard information

Inhalation	Not applicable
Ingestion	Not applicable
Skin	Skin contact with this material may cause, in some sensitive individuals, an allergic response if element such as copper and nickel are present.
Eye	Particulate metal (dust) may be dangerous to the eye and surrounding tissue.
Toxicity	There is no information on the toxicity of this material. Under normal handling and use of the solid form of this material there are few health hazards.

Material Safety data Sheet

Product name : Ag leadframe

Date prepared :Dec 19, 2007

6. Emergency and first aid procedures

Inhalation	Breathing difficulty caused by inhalation of dust requires remove to fresh air. If breathing has stopped, perform artificial respiration and obtain medical assistance at once.
Ingestion	Swallowing metal powder or dust can be treated by having the affected person swallow large quantities of water and attempting to induce vomiting if conscious. Obtain medical assistance at once.
Skin	Skin cuts and abrasions can be treated by standard first aid. Skin contamination with dust or powder can be removed by washing with soap and water. If irritation persists, obtain medical assistance at once.
Eye	Dust or powder should be flushed from the eyes with copious amounts of clean water. If irritation persists obtain medical assistance. Contact lenses should not be worn if working with metal dusts and powders.

7. Exposure control / Personal protection

Ventilation	Good general ventilation should be sufficient for most conditions.
Respiratory protection	For most conditions, no respiratory protection should be needed; however, in dusty atmospheres, wear a NIOSH approved respirator to protect from dust.
Eye protection	Wear safety glasses when risk of eye injury is present, for example, metal powder handling.
Skin protection	Wear clean body covering clothing. Wear gloves to prevent metal cuts and skin abrasions.

Material Safety data Sheet

Product name : Ag leadframe
Date prepared : Dec 19, 2007

8. Handling and storage

Handling	Good housekeeping in order to prevent the accumulation of dust
Storage	Store in original vacuum sealed packing. Storage condition: 19 to 25 °C and relative humidity <= 60%

9. Environmental protection information

Waste disposal method	Prior to disposal consider if the material has recovery value. Dispose of materials in compliance with governmental regulations
Environmental hazards	In solid form this material poses on special environmental problems.

10. Transportation information

Transportation and hazardous materials	Not a hazardous material for shipping
--	---------------------------------------

Additional Information

This information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from use of this information or the product, the safety of this product, or the hazards related to its use. This information and the product are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk their use thereof.